



## FINAL PRODUCTIVITY REPORT

### Context-Sensitive Visual Processing: Segmentation and Grouping, Visual Search, and 3-D Surface Perception

ONR N00014-94-1-0597

Start Date:	April 1, 1994
Duration:	36 months, plus 3 month, no-cost extension
First-Year Budget	\$90,000
Total Budget	\$260,000

Reporting Period: April 1, 1994 to June 30, 1997

Ennio Mingolla, PI  
Department of Cognitive and Neural Systems  
Boston University  
677 Beacon Street  
Boston, MA 02215

September 24, 1997

19971217 081

ETIC QUALITY INSPECTED 3

# REPORT DOCUMENTATION PAGE

Form Approved

OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE September 1997	3. REPORT TYPE AND DATES COVERED final technical 04/01/94--06/30/97	
4. TITLE AND SUBTITLE Context-sensitive visual processing: Segmentation and grouping, visual search, and 3-D surface perception			5. FUNDING NUMBERS ONR N00014-94-1-0597	
6. AUTHOR(S) Ennio Mingolla				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Boston University Cognitive and Neural Systems Department 677 Beacon Street Boston MA 02215			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy Street Arlington VA 22217			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  <div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>DISTRIBUTION STATEMENT B</b>  Approved for public release  Distribution Unlimited </div>			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) <p>Psychophysical experiments in visual search, texture segregation, motion segmentation, lightness perception on 3-D surfaces, and the perception of heading have been designed, executed, and analyzed. Data from these experiments and others has been used to refine parameter selection for the Boundary Contour System model of early human vision and its application to image processing. Mingolla has obtained a security clearance and consulted with Dr. Allen Waxman's group at MIT Lincoln Laboratory on night vision and image processing. Mingolla continues to work in modeling (neural architectures for brightness perception, illusory contours, figure/ground segmentation, search for targets in clutter, motion perception) and image processing (segmentation or enhancement of SAR and LADAR imagery).</p>				
14. SUBJECT TERMS			15. NUMBER OF PAGES 11 pages	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT unclassified	20. LIMITATION OF ABSTRACT	

## GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet *optical scanning requirements*.

### Block 1. Agency Use Only (Leave blank).

**Block 2. Report Date.** Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

**Block 3. Type of Report and Dates Covered.** State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

**Block 4. Title and Subtitle.** A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

**Block 5. Funding Numbers.** To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

**Block 6. Author(s).** Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

**Block 7. Performing Organization Name(s) and Address(es).** Self-explanatory.

**Block 8. Performing Organization Report Number.** Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

**Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es).** Self-explanatory.

**Block 10. Sponsoring/Monitoring Agency Report Number.** (If known)

**Block 11. Supplementary Notes.** Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

**Block 12a. Distribution/Availability Statement.** Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

### Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

**Block 13. Abstract.** Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

**Block 14. Subject Terms.** Keywords or phrases identifying major subjects in the report.

**Block 15. Number of Pages.** Enter the total number of pages.

**Block 16. Price Code.** Enter appropriate price code (*NTIS only*).

**Blocks 17. - 19. Security Classifications.** Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

**Block 20. Limitation of Abstract.** This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

### **Item 1: Overview of Progress**

Psychophysical experiments in visual search, texture segregation, motion segmentation, lightness perception on 3-D surfaces, and the perception of heading have been designed, executed, and analyzed. Data from these experiments and others has been used to refine parameter selection for the Boundary Contour System model of early human vision and its application to image processing. Mingolla has obtained a security clearance and consulted with Dr. Allen Waxman's group at MIT Lincoln Laboratory on night vision and image processing. Mingolla continues to work in modeling (neural architectures for brightness perception, illusory contours, figure/ground segmentation, search for targets in clutter, motion perception) and image processing (segmentation or enhancement of SAR and LADAR imagery).

**Item 2: Summary of Research Finding:  
Induced motion and visual stability in an optic flow illusion**

Investigators: Christopher Pack and Ennio Mingolla

*(a) Description of finding:* When an expansion flow field of moving dots is overlapped by planar motion, observers perceive an illusory displacement of the focus of expansion (FOE) in the direction of the planar motion (Duffy & Wurtz, 1993, *Vision Research*, 33, 1481-1490). The illusion may be a consequence of induced motion, wherein an induced component of motion relative to planar dots is added to the motions of expansion dots to produce the FOE shift. Such a process could be mediated by local, "center-surround" receptive fields. Alternatively, the effect could be due to a higher-level process which detects and subtracts large-field planar motion from the flow field. We probed the mechanisms underlying this illusion by adding varying amounts of rotation to the expansion stimulus, and by varying the speed and size of the planar motion field. The introduction of rotation into the stimulus produces an illusory shift in a direction perpendicular to the planar motion. Larger FOE shifts were perceived for greater speeds and sizes of planar motion fields, although the speed effect saturated at high speeds. While the illusion appears to share a common mechanism with center-surround induced motion, our results also point to involvement of a more global mechanism that subtracts coherent planar motion from the flow field. Such a process might serve as a means of maintaining visual stability during eye movements.

*(b) Significance:* Besides being important to the fundamental understanding of mechanisms for computing heading and maintaining visual stability during eye movements, an understanding of this illusion may be important in any task involving rapid navigation guided by artificial displays. This illusion is highly "cognitively impenetrable," in the sense that it is experienced even if the observer is aware in advance of the conditions of the display. As a result, it may make an unwelcome appearance in a variety of situations, including the use of "head up" displays, which can superimpose imagery from one modality (e.g. an artificial sensor) with another modality (including a natural view through a windshield). A detailed understanding of the origins of the illusion can aid the design of techniques for mitigating its effects.

*(c) Figures:* Three color figures on paper and transparencies are attached to this report.

*(d) Manuscript:* A copy of Pack, C. and Mingolla, E. Induced motion and visual stability in an optic flow illusion. **Technical Report CAS/CNS-97-008**, Department of Cognitive and Neural Systems, Boston University is attached to this report.

**Item 3: Productivity Report:  
April 1, 1994 to June 30, 1997**

*(a) Published papers:*

- Grossberg, S., Mingolla, E., and Williamson, J., Synthetic aperture radar processing by a multiple scale neural system for boundary and surface representation. *Neural Networks* (Special Issue on Automatic Target Recognition), 1995, **8**(7/8), 1005-1028.
- Gove, A., Grossberg, S., and Mingolla, E., Brightness perception, illusory contours, and corticogeniculate feedback. *Visual Neuroscience*, 1995, **12**, 1027-1052.
- Pessoa, L., Mingolla, E., and Neumann, H., A contrast- and luminance-driven multiscale network model of brightness perception. *Vision Research*, 1995, **35**, 2201-2223.
- Pessoa, L., Beck, J., and Mingolla, E., Perceived texture segregation in chromatic element-arrangement patterns: High intensity interference. *Vision Research*, 1996, **36**(12), 1745-1760.
- Pessoa, L., Mingolla, E., and Arend, L., The perception of lightness in 3-D curved objects. *Perception and Psychophysics*, 1996, **58**(8), 1293-1305.
- Grossberg, S., Mingolla, E., and Ross, W.D., Visual brain and visual perception: How does the cortex do perceptual grouping? *Trends in Neurosciences*, 1997, **20**(3), 106-111.

*(b) Papers in press:*

- Bressan, P., Mingolla, E., Spillmann, L., and Watanabe, T., Neon color spreading: A review. *Perception*, in press.
- Chey, J., Grossberg, S. and Mingolla, E., Neural dynamics of motion grouping: From aperture ambiguity to object speed and direction. *Journal of the Optical Society of America A*, in press.
- Chey, J., Grossberg, S., and Mingolla, E., Neural dynamics of motion processing and speed discrimination. *Vision Research*, in press.
- Neumann, H., Pessoa, L., and Mingolla, E., A neural network architecture of brightness perception: Non-linear contrast detection and geometry-driven diffusion. *Image and Vision Computing*, in press.
- Ross, W.D. and Mingolla, E., Recent progress modeling neural mechanisms of form and color vision. Invited article for a special issue of the *Journal of Image and Vision Computing*, in press.

*(c) Technical reports:*

Cunningham, R.K., Beck, J., and Mingolla, E., Approaching visual search in photo-realistic scenes. **CAS/CNS-96-034**. Department of Cognitive and Neural Systems, Boston University.

Oddo, S., Beck, J. and Mingolla, E., Texture segregation in chromatic element-arrangement patterns. **CAS/CNS-97-004**. Department of Cognitive and Neural Systems, Boston University.

Pack, C. and Mingolla, E., Induced motion and visual stability in an optic flow illusion. **CAS/CNS-97-008**. Department of Cognitive and Neural Systems, Boston University.

Lidén, L. and Mingolla, E. Monocular occlusion cues alter the influence of terminator motion in the barber pole phenomenon. **CAS/CNS-97-012**. Department of Cognitive and Neural Systems, Boston University.

Grossberg, S., Mingolla, E., and Pack, C., A neural model of attentive visual navigation by cortical area MST: Heading and time-to-contact. **CAS/CNS-97-15**. Department of Cognitive and Neural Systems, Boston University.

*(d) Book chapters published:*

Grossberg, S., Mingolla, E., and Williamson, J., A multiple scale neural system for boundary and surface representation of SAR data. In **Proceedings of the IEEE workshop on neural networks for signal processing**, New York, 1995.

Leshner, G.W. and Mingolla, E., Neural models of illusory contour perception. In M.A. Arbib (Ed.), **Handbook of brain theory and neural networks**. Cambridge, MA: MIT Press, 1995, pp. 481-483.

Mingolla, E., Neural mechanisms of brightness perception and visual search. Invited article in **Proceedings of the world congress on neural networks**, Washington, 2, 901-904. Hillsdale, NJ: Erlbaum Associates, 1995.

*(e) Book chapters in press:*

None.

*(f) Patent activity:*

None.

*(g) Presentations:*

Categorical behavior without symbolic processing in brightness perception. Presentation at the Second Annual Symposium in Honor of Gaetano Kanizsa, Trieste, Italy, October, 1994.

A multiscale network model of brightness perception. Invited lecture at the International School in Biocybernetics of Vision: Integrative Mechanisms and Cognitive Processes, Ischia, Italy, October, 1994.

Recent results in emergent visual segmentation. Invited lecture at the International School in Biocybernetics of Vision: Integrative Mechanisms and Cognitive Processes, Ischia, Italy, October, 1994.

Categorical behavior in brightness perception. Colloquium presented at the Harvard University Department of Psychology, November, 1994.

Searching for the units of visual search. Colloquium presented at the Istituto de Neurofisiologia, CNR, Pisa, Italy, June, 1995.

Neural mechanisms of brightness perception and visual search. Invited presentation to the World Congress on Neural Networks, Washington, DC, July, 1995.

Grouping effects in double target search (with William D. Ross and Norma Mejia-Monasterio). European Conference on Visual Perception, Tübingen, Germany, August, 1995.

Brightness perception, illusory contours, and binocular corticogeniculate feedback. Colloquium presented at the Fakultät für Informatik, Universität Ulm, Germany, August, 1995.

A multiple scale neural system for boundary and surface representation of SAR data (with S. Grossberg and J. Williamson). Presentation at the IEEE Workshop on Neural Networks for Signal Processing (NNSP), Cambridge, Massachusetts, September, 1995.

A cortical architecture for real and illusory contour processing in Areas V1 and V2 (with S. Grossberg and W.D. Ross). Presentation at the annual meeting of the Society for Neuroscience, San Diego, California, November, 1995.

Recent results in early visual processing. Invited presentation at the International Workshop on Soft Computing in Industry, Muroran, Hokkaido, Japan, April, 1996.

Discussant for session on Lightness and Shading at the Fifth Hans-Lukas Teuber Symposium, MIT, Cambridge, Massachusetts, October, 1996.

Neural circuits for perceptual grouping. Colloquium presented to the Ohio State University Psychology Department, March, 1997.

Visual search. Invited presentation to the International Conference on Vision, Recognition, and Action: Neural Models of Mind and Machine, Boston, MA, May, 1997.



Perceptual grouping. Invited presentation to Cambridge Basic Research, Cambridge, MA, July, 1997.

*(i) Transitions:*

Transition 1: Pacific Sierra Research has developed Forward Looking Infrared Radar (FLIR) Minimal Temperature Resolvable Difference (MRTD) evaluation software based in part on the PI's prior work. The aim of the software is to emulate human perceptual responses to low-fidelity FLIR imagery, in order to automate FLIR calibration. In Phase I of an SBIR contract to the Army Test Center at Huntsville, success rates in classifying prototype targets as detectable or not by human operators ranged from 96% to 100%, as described in:

Burroughs, E.E. Jr., Moe, G.O., Leshner, G.W., and Merrill, J.W.L., Automated MRTD using boundary contour system, custom feature extractors, and fuzzy ARTMAP. Presented at the 17-21 April, 1995, AeroSense Conference of the SPIE, Orlando, Florida.

Point of contact: Gordon Moe  
Pacific Sierra Research Corporation, Arlington, VA  
Phone: 703-527-4975

Transition 2: The PI has obtained a security clearance and begun consulting with Dr. Allen Waxman's group at the MIT Lincoln Laboratory on night vision and image processing. Dr. Waxman's group has implemented a number of neurally-inspired algorithms based on the PI's modeling work with Stephen Grossberg on image segmentation and surface representation. The PI has made several visits to Dr. Waxman's lab to discuss algorithms and parameter adjustments for processing night vision imagery, SAR, and infrared imagery. Dr. Waxman's group continues to use/extend the PI's work for (1) multiresolution speckle reduction in SAR imagery; (2) off-system (darkness) processing for shadow noise cleaning in SAR imagery; and (3) opponent-color processing of multispectral (three bands) IR imagery for target enhancement in industrial/urban environments. Items (1) and (2) are for an Air Force sponsor; item (3) is supported by ONR.

Point of contact: Dr. Allen Waxman  
MIT Lincoln Laboratory, Lexington, MA  
Phone: 617-981-2056

Transition 3: The PI was also PI of a Navy-sponsored subcontract to Boston University from HNC, Inc., to develop improved segmentation algorithms for LADAR image segmentation for automatic target classification. Improvements in edge localization, grouping

across incomplete data, and speed-up of image processing algorithms are being developed at Boston University for transition to the Navy via HNC.

Point of contact: Dr. Robert Hecht-Nielsen  
HNC Software, Inc., San Diego, CA  
Phone: 619-546-8874

*(j) Training:*

Robert Cunningham	doctoral student	U.S. Citizen
Matthew Giamporcaro	doctoral student	U.S. Citizen
Allen Gove	doctoral student	U.S. Citizen
Seungwoo Hwang	doctoral student	not U.S. Citizen
Lars Liden	doctoral student	U.S. Citizen
Christopher Pack	doctoral student	U.S. Citizen
Luiz Pessoa	doctoral student	not U.S. Citizen
Harald Ruda	doctoral student	not U.S. Citizen

*(k) Honors:*

Invited to join the editorial board of *Applied Intelligence*, 1996.

*(l) Equipment purchased (Year 1):*

One Macintosh Powerbook 540C, including 16 megabyte memory upgrade and bundled software. Cost: \$6948.